DEPARTMENT OF HEALTH AND HUMAN SE FOOD PROCESS FILING				N (Use FDA booklet titled: "Ins Registration and Process Filin Canned Foods" for completing	tructions for Establishment g for Acidified and Low-Acid Form FDA 2541a.)	FORM APPROVED: OMB NO. 0910-0037 EXPIRATION DATE: 11/30/99
A. PRODUCT						See OMB Statement on back of page.
Name, Form or Style, and Packing Med Raw pH: • _ Governing Regulation: low-acid (21 CFR 108.35/113) acidified (21 CFR 108.25/114)	Type of Subm ☐ new ☐ replaces			Process Us ☐ schedu ☐ alterna	lled te for—	FCE SID
B. PROCESSING METHOD		ERILIZER (MFR. & TYPE)				
a. Horizontal b. Vertical Divider Plates (complete for a. or b.)	_	DIUM (e.g., Steam, water, 3. Hydrostatic Inner Chain only Outer Chain only	_	ray, steam-air)	Method of Acidifi	orium pH: • ication:
 None Solid Perforated C. ☐ Crateless Bottom Surface (complete for c.) ☐ Solid ☐ Perforated 	b.	☐ Both Inner and Outer Chain ☐ Single Chain ☐ Multiple Chain			Pasteurization M	• ethod:d:
					Concentration	
CONTAINER TYPE: 1.		3. Glass or Ceran 4. Flexible Pouch		Sea	I Method	<i>t):</i> Lid Body
PROCESS ESTABLISHMENT SO	URCE (Limit entry to	30 characters)		ST ESTABLISHED	PROCESS RI	ECOMMENDATIONS ATTACHED?
C. CRITICAL FACTORS: AS None of the following	NO	() (URE COMMERCIA Arra Fori Pre) Pro Mat Lay Max Max	AL STERILITY (Check or Dangements of Pieces in Contamulation Changes	niner ontainer Thickness in R h/Semigrid Container)	FC
Hand or Volumetric		(• _)	Star — Oth Min	ch Added	nts	SA [(•_) OB [(•_)

D.	SCHE	DULEL	PROC	JE55 (Do I	<i>not</i> writ	e in snad	ed areas	Enter nun	nericai v	alues or	ı dasned ii	ines.)		FCE:		SII	D:		
CONTAINER CAPACITY DIMENSIONS UNITS						SCHEDULED PROCESS (Check Only One in Each Column)				OTHER CRITICAL FACTORS TO ASSURE COMMERCIAL STERILITY PER SOURCE AUTHORITY										OTHER (Specify)
Cont. No.	Diameter or Length	Height or Width	Height or Maximum Pouch or Semirigid Container Thickness	☐ Oz. ☐ Gal.	Step No.	Temp (°F)	LACF Process Time	Temp (°F) Process Temp.	Least Sterilizing Value of the Scheduled Process F ₀ Other F Value	Thruput	Headspace	Reel Speed	Spec Reel Diameter	Steps Per Turn of Reel	Chain / Conveyer Speed	Maximum Weight	Minimum Net Weight	Minimum Free Liq. at Closing	Minimum Container Closing Machine Gauge Vacuum	
				ML Other		Min.IT Fill Center	Process Time Hold Time Other		Death Rate (z): Ref. Temp.(T): IS Value		Net Gross				Feet Carriers Flights (per minute)	☐ Drained			Temp. (± 3° F)	
						□ N/A	□ N/A	□ N/A	Other:	□ N/A	□ N/A		□ N/A	A		□ N/A	□ N/A	□ N/A	□N/A	
		Inches & Sixteenths				°F	Minutes	°F	:	Containers per Minute		RPM	Inches	Number	Inches	Ounces	Ounces	Ounces	In. Hg.	
					— 	:		- - - - -	•-		_•		-		•_	•	•	•_		
	· · · · · · · · · · · · · · · · · · ·	· · · ————	· · · ————		_			-!			_•		· · · · · · · · · · · · · · · · · · ·		•	•_	•	•_		
	· · · · · · · · · · · · · · · ·								•_		_•				•_	•	•	•_		
	1 1 1	· ·	·		_ ;		•_	· · · · · · · · · · · · · · · · · · ·	•		_•				•		•_	•_		
 	·				— —				•-		_•				•_	•	•	•_		
		· · ———			_ '		•	· · · · · · · · · · · · · · · · · · ·			_•		· · · · · · · · · · · · · · · · · · ·		•	•	•_	•_		
	!	'			- ;	;		- '					-;;	;-	•_	•_	•_	•_		
COMMENTS:FOR FDA USE ONLY																				
PLANT NAME / ADDRESS						AU IN	THORIZED DIVIDUAL	FULL NAME		Type or	Print)					NUMBER				
PREFERRED MAILING ADDRESS								→	SIGNATUR	E					DA	ΓE				

Public reporting burden for this collection of information is estimated to average .333 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to:

U.S. Food and Drug Administration Division of HACCP Programs Regulatory Food Processing and Technology Branch 200 C Street, SW, (HHFS-617) Washington, DC 20204

An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number.